

SurePassExams



- ✓ Online Tool, Convenient, easy to study.
- ✓ Instant Online Access
- ✓ Supports All Web Browsers
- ✓ Practice Online Anytime
- ✓ Test History and Performance Review
- ✓ Supports Windows / Mac / Android / iOS, etc.



- ✓ Installable Software Application
- ✓ Simulates Real Exam Environment
- ✓ Builds Exam Confidence
- ✓ Supports MS Operating System
- ✓ Two Modes For Practice
- ✓ Practice Offline Anytime



- ✓ Printable PDF Format
- ✓ Prepared by IT Experts
- ✓ Instant Access to Download
- ✓ Study Anywhere, Anytime
- ✓ 365 Days Free Updates
- ✓ Free PDF Demo Available



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 90 days after purchasing. And Free get any another product.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.surepassexams.com/>

Legal & authoritative company offering the highest pass-rate Exam Torrent materials and helping use pass for sure.

Exam : CX-310-231

Title : Java Enterprise Edition 5 Web
Services Developer Certified
Professional Upgrade Exam

Vendors : Oracle

Version : DEMO

NO.1 A team of developers is describing a set of endpoints in their new SOA application.

Given the WSDL extract:

```
<service name="InventoryServices">  
<port name="PurchaseOrder" binding="tns:POBinding">  
<soap:address location="http://192.168.0.2:8080/inventory"/>  
</port>  
<port name="Invoice" binding="tns:InvoiceBinding">  
<soap:address location="http://192.168.0.2:8080/inventory"/>  
</port>  
</service>
```

Which statement is true about this WSDL extract?

- A. The extract is WS-I Basic Profile 1.1 compliant because both port element names are different.
- B. The extract is NOT WS-I Basic Profile 1.1 compliant because both port elements point to the same location.
- C. The extract is WS-I Basic Profile 1.1 compliant because both port elements point to different binding elements.
- D. The extract is NOT WS-I Basic Profile 1.1 compliant because it contains two port elements in the same service.
- E. The extract is WS-I Basic Profile 1.1 conformant because both port element names are different.
- F. The extract is WS-I Basic Profile 1.1 conformant because the port, binding, and service element combinations are unique.

Answer: B

NO.2 A company uses Web services to exchange mortgage and credit data as well as digital versions of

associated documents. The data is confidential and it is common for the service and client to exchange

applications, credit results, reports and more in a request/response format. Recently, the company has

become concerned about the substantial cost of processing and message encryption with a PKI

approach.

What can be done to cut costs?

- A. use MTOM to optimize the messages and provide data confidentiality via XML Digital Signature
- B. because of the weak adoption of WS-SecureConversation on Java platforms, consider using Kerberos
- C. use HTTPS as it is both economical and adequate
- D. use WS-SecureConversation and MTOM to reduce the processing overhead

Answer: D

NO.3 Which two statements are true about the role of XML schemas in Web services?
(Choose two.)

- A. DTDs provide stricter data typing than XML schemas.
- B. XML schemas can be used to validate the organization of XML documents.
- C. XML schemas contain a vocabulary, content model and data types.
- D. DTDs are easier to map to Java than XML schemas, and so remain more popular.
- E. The W3C recommends that XML schemas be referred to as XSD.
- F. The W3C has designated that XML schemas be referred to as WXS.

Answer: BC

NO.4 A company's new investment management Java application and a legacy stock trader application

need to communicate, but they use different JMS implementations. A developer decides to implement a

JMS bridge to solve the problem.

Which two advantages does this pattern provide? (Choose two.)

- A. It converts the interface of a class into another interface that clients expect.
- B. It decouples an abstraction from its implementation so that the two can vary independently.
- C. It dynamically attaches additional responsibilities to an object.
- D. It optimizes network traffic.
- E. It is vendor independent.

Answer: BE

NO.5 Given the Java fragment and schema:

1. `//-- Java code fragment`
2. `public enum USState {MA, NH}`
3. `//-- Schema fragment`
4. `<xs:simpleType name=xsState?`

5. <xs:restriction base=xs:string?
6. <xs:enumeration value=NH?/>
7. <xs:enumeration value=MA?/>
8. </xs:restriction>
9. </xs:simpleType>
10. // .NET auto generated code from schema
11. public enum usState { NH, MA }

Which statement is true about .Net and WCF interoperability for this data?

- A. Based on the fragment, enumerations map well between Java and .Net.
- B. The subtle differences in the variable names make it clear these enumerations are NOT interoperable.
- C. The XML schema reveals the type on the enumeration is lost across the platforms.
- D. This exchange would be interoperable if the annotation @XmlEnum was applied to the Java method.

Answer: A

NO.6 Given:

1. try { // Call Web service Operation
2. org.me.calculator.client.CalculatorWS port =
3. service.getCalculatorWSPort();
4. // TODO initialize WS operation arguments here
5. int i = 3;
6. int j = 4;
7. // TODO process result here
8. int result = port.add(i, j);
9. out.println("<p>Result: " + result);
- 10.
11. } catch (Exception ex) {

NO.7 A developer is creating an XML schema using the xsd:all operator.

Given the code:

```
<types>
<schema targetNamespace="http://sun.cert/types"
xmlns:tns="http://sun.cert/types"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
<xsd:complexType name="Person">
<xsd:all>
<!-- insert code here -->
```

```
</xsd:all>
</xsd:complexType>
</schema>
</types>
```

Which two element definitions, when inserted into the given schema fragment, result in a correct schema

type definition? (Choose two.)

- A. `<xsd:element name="first" type="xsd:string"/>`
- B. `<xsd:element name="items" type="xsd:long" maxOccurs="5"/>`
- C. `<xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="1"/>`
- D. `<xsd:element name="first" type="xsd:string" minOccurs="0" maxOccurs="5"/>`
- E. `<xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="5"/>`
- F. `<xsd:element name="ssn" type="xsd:string" minOccurs="1" maxOccurs="unlimited"/>`

Answer: AC

NO.8 A developer plans to refactor some of the company's existing Java EE 5 business services, moving

them out of the existing monolithic application and into Web services.

What are two benefits of exposing existing Java EE 5 functionality as a Web service?

(Choose two.)

- A. improved manageability
- B. more finely-grained
- C. enhanced security
- D. loose coupling of functionality
- E. self-describing
- F. automatic session management

Answer: DE

NO.9 A student developer has created a new library of math functions to share with friends in a linear algebra

class. The developer is having difficulty getting people to come over to the dorm to see the new code

library, so he decides to deploy it as a Web service so that everyone can enjoy the features via the

Internet. One of the functions has this WSDL definition:

```
<portType name="MyMathLib">
<operation name="incCtr">
<input message="tns:incCtr"/>
```

```
</operation>
```

```
</portType>
```

Which two statements are true about this Web service? (Choose two.)

- A. This is an asynchronous receive.
- B. This is an asynchronous send.
- C. The client must use SOAPFaultException to display any errors.
- D. It must send a SOAP fault back to the sender.
- E. It must NOT send a SOAP fault back to the sender.

Answer: BE

NO.10 The WSIT project implements a number of WS-* specifications to aid developers in creating secure and interoperable services.

What are two parts of the WS-specifications? (Choose two.)

- A. WS-ReliableMessaging
- B. WS-Bootstrapping
- C. WS-Eventing
- D. WS-Policy
- E. WS-WSITrust

Answer: AD

NO.11 `out.println("<p>Exception: " + ex);`

NO.12 A company is building a customer relationship management system that is to be deployed on a customer's network, and they want software functions to be reused and combined in different modules in the system. The Director of Technology has determined that the new system should utilize both Web services and a Service Oriented Architecture (SOA).

Which two statements about Web services in an SOA are correct? (Choose two.)

- A. A Web service must be discovered from a UDDI registry in an SOA.
- B. SOA and Web services both use the HTTP protocol at the transport layer.
- C. A Web service must publish itself to a UDDI registry to become part of an SOA.
- D. SOA is a way to design a system and Web services are a possible implementation.
- E. SOA is used for stateless invocations, and Web services for stateful invocations.
- F. SOA emphasizes the concept of service encapsulation and Web services fulfill a service contract.

Answer: DF

NO.13 A team of developers is designing RESTful Web services for a new application.

What are three properties of the services? (Choose three.)

- A. They can be stateful.
- B. They can be stateless.
- C. Components communicate by exchanging representations of the resource.
- D. Components communicate by directly performing operations on the resource.
- E. They require WSDL service API definitions.
- F. Responses can be labeled as cacheable or non-cacheable.

Answer: BCF

NO.14 A developer is analyzing an existing Web service with performance problems. The analysis reveals

the service employs SOAP over HTTP. When the size of the encoded binary files grew with changing

business requirements, the service slowed.

What are two effective solutions for this problem? (Choose two.)

- A. Separating the XML and binary content with WS-Filtering implemented in WSIT will improve efficiency.
- B. XML documents larger than 1 KB with binary encoding should be optimized.
- C. WS-Addressing can ease congestion by routing messages over other protocols.
- D. For existing services, the most effective solution is to increase the available bandwidth.
- E. MTOM can reduce both processing and bandwidth required by SOAP with attachments.

Answer: BE

NO.15 }

Assume Reliable Messaging is used and the code is correct except for what is missing at line 10.

Which code fragment must be placed at line 10?

- A. Close the port object with `((Closeable)port).close();` after testing result is positive.
- B. Close the port with `port.close();`
- C. Closing the port object is optional, but `port.close();` will work.
- D. Close the port object with `((Closeable)port).close();`

Answer: D

12. Which two statements are true about Java clients that use a security token service (STS) supported

by the security features of WSIT? (Choose two.)

- A. The client only requires a keystore.
- B. STS requires a default user name configuration.
- C. Using an STS-issued token requires a keystore and a truststore.
- D. HTTPS must be configured.
- E. An authorized client receives a token digitally signed by the STS.

Answer: CE

13. A developer who recently added message optimization support to the company's Web services is

tasked with explaining how the next crop of WSIT client applications will use the feature.

Which statement is true?

- A. Client developers should have experience with the SAAJ and MIME types to use MTOM with the service.
- B. The clients should use the service WSDL to discover and satisfy the interoperability requirements.
- C. Adding message optimization is a manual step when the WSDL is available on HTTPS.
- D. The encryption for optimization requires a client keystore.

Answer: B

NO.16 A company has contracted a developer to create their new accounting system. The system the

developer will replace runs a monolithic web application using one web server and one database server.

Technical requirements state the developer must write the business logic in Java, deploy to the

application server and push the presentation logic onto the web servers.

What are three characteristics of services in the proposed Service Oriented Architecture?

(Choose three.)

- A. Services are coarse grained.
- B. Services are finely grained.
- C. Services are loosely coupled.
- D. Services are tightly coupled.
- E. Clients must be implemented in the Java technology.
- F. Services are platform agnostic, network-addressable web APIs.

Answer: ACF

NO.17 A developer must describe a message that contains multiple parts using non-primitive data types.

Which two code fragments produce equivalent composite message structure definitions?

(Choose two.)

A. <types>

```
<schema .... >
```

```
<complexType name="FOO" type="tns:FOOType"/>
```

```
<element name="FOOType">
```

```
.
```

```
.
```

```
.
```

```
</element >
```

```
<complexType name="BAR" type="tns:BARType"/>
```

```
<element name="BARType">
```

```
.
```

```
.
```

```
.
```

```
</element >
```

```
</schema>
```

```
</types>
```

```
<message name="FOO">
```

```
<part name="FOO" complexType="tns:FOO"/>
```

```
<part name="BAR" complexType="tns:BAR"/>
```

```
</message>
```

B. <types>

```
<schema .... >
```

```
<element name="FOO" type="tns:FOOType"/>
```

```
<complexType name="FOOType">
```

```
.
```

```
.
```

```
.
```

```
</complexType>
```

```
<element name="BAR" type="tns:BARType"/>
```

```
<complexType name="BARType">
```

```
.
```

```
.
```

```
.
```

```
</complexType>
```

```
</schema>
```

```
</types>
```

```
<message name="FOO">
  <part name="FOO" element="tns:FOO"/>
  <part name="BAR" element="tns:BAR"/>
</message>
C. <types>
  <schema .... >
  .
  .
  .
  <complexType name="Composite">
    <choice>
      <element name="FOO" minOccurs="1" maxOccurs="1" type="tns:FOOType"/>
      <element name="BAR" minOccurs="0" maxOccurs="unbounded" type="tns:BARType"/>
    </choice>
  </complexType>
</schema>
</types>
<message name="FOO">
  <part name="composite" type="Composite"/>
</message>
D. <types>
  <schema .... >
  .
  .
  .
  <complexType name="Composite">
    <choice>
      <element name="FOO" minOccurs="1" maxOccurs="1" type="tns:FOOType"/>
      <element name="BAR" minOccurs="0" maxOccurs="unbounded" type="tns:BARType"/>
    </choice>
  </complexType>
</schema>
</types>
<message name="FOO">
  <part name="composite" type="tns:Composite"/>
</message>
```

Answer: BD

NO.18 Given the Java fragment and schema:

1. `//-- Java code fragment`
2. `public class PurchaseOrder{`
3. `public javax.xml.datatype.XMLGregorianCalendar orderDate;`
4. `}`
5. `//-- Schema fragment`
6. `<xs:complexType name="purchaseOrder">`
7. `<xs:sequence>`
8. `<xs:element name="orderDate" type="xs:anySimpleType"`
9. `minOccurs="0"/>`
10. `</xs:sequence>`
11. `</xs:complexType>`

Which two statements are true about .Net and WCF interoperability for this data? (Choose two.)

- A. The GregorianCalendar maps to an equivalent date type in both Java and .Net.
- B. .Net will generate code with the calendar as a string that functions as well as a date.
- C. .Net will generate code with the calendar as a string that is not type equivalent.
- D. Use of the `@XmlSchemaType` annotation causes .Net to properly map to a date.
- E. Casting in the case of WSIT services is an effective approach for the WCF client.

Answer: CD

NO.19 According to the WS-I Basic Profile 1.1, which two statements are true about the `targetNamespace`

attribute for `xsd:schema` elements that are children of WSDL 1.1 type element? (Choose two.)

- A. Its value must be valid unless it has `xsd:import`, `xsd:annotation`, or both as its only child elements.
- B. Its value must be empty unless it has `xsd:import`, `xsd:annotation`, or both as its only child elements.
- C. It should have same the value as the namespace attribute on the `wsdl:import` element in a document being imported.
- D. It must have same the value as the namespace attribute on the `wsdl:import` element in a document being imported.

Answer: AD